Fundam Clin Pharmacol (1991) 5, 849–854
© Elsevier, Paris

AUTHOR INDEX

A

Advenier C — *See* Candenas ML *et al*, 1 — *See* Spreux-Varoquaux O *et al*, 549
Alamercery Y — *See* Reveilleau S *et al*, 265
Alexandre JA — *See* Flouvat B *et al*, 741
Allain H — *See* Milon D *et al*, 539
Allain P, Krari N, Chaleil D, Lagier G, Jouglard J, Effects of some chelating agents on bismuth absorption in the rat, 39
Alván G, Clinical consequences of polymorphic drug oxidation, 209
Amano H — *See* Naruse T *et al*, 677
Andrejak M — ***, Santoni JP, Carré A, Deruyttere M, Magometschgnigg D, Gotzen R, Stumpe KO, A double-blind comparison of perindopril and hydrochlorothiazide-amiloride in mild to moderate essential hypertension, 185 — *See* Hary L *et al*, 789
Angel I, Bidet S, The binding site for [^{3}H]glibenclamide in the rat cerebral cortex does not recognize K-channel agonists or antagonists other than sulphonylureas, 107
Arthaud A — *See* Berdeaux A *et al*, 117
Association Française des Pharmacologistes — *See* British Pharmacological Society, 356
Assous E — *See* Duteil J *et al*, 695
Aujoulat P — *See* Monges AM *et al*, 527
Aupetit JF — *See* Timour Q *et al*, 641

B

Baillet J — *See* Hary L *et al*, 789
Bapna JS — *See* Srinivasan D *et al*, 769
Bargnoux H — *See* Lartigue-Mattei C *et al*, 621
Baron D — *See* Lepage JY *et al*, 203
Barzaghi N, Lamedica G, Gatti G, Cottafava F, Massocco D, Marchese N, Salicylic acid disposition in children with rheumatoid arthritis, 285
Bascands JL — *See* Damase-Michel C *et al*, 719
Bensussan B — *See* Lamiable D *et al*, 733
Bentue-Ferrer D — *See* Milon D *et al*, 539
Berdeaux A — ***, Arthaud A, Lambert C, Giudicelli JF, Alpha-adrenoceptor subtypes and regional myocardial blood flow distribution during coronary occlusion in dogs, 117 — *See* Yin YL *et al*, 491 — *See* Gosgnach M *et al*, 709 — *See* Richard V *et al*, 777
Berger JA — *See* Lartigue-Mattei C *et al*, 621
Bergougnan JL — *See* Boudet J *et al*, 635
Berlan M — *See* Senard JM *et al*, 291
Bertaux L — *See* Girre C *et al*, 797
Berthet P — *See* Damase-Michel C *et al*, 719
Bidet S — *See* Angel I, 93
Boissel JP — *See* Reveilleau S *et al*, 265
Bory M — *See* Monges AM *et al*, 527
Boudet J, Qing W, Boyer-Chammard A, Del Franco G, Bergougnan JL, Rosen P, Meyer P, Dose - response effects of atropine in human volunteers, 635
Boulieu R — *See* Foussadier A *et al*, 595
Boulu R — *See* Buisson A *et al*, 645
Bourin M, Guenzet J, Thomare P, Kergueris MF, Ortega A, Larousse C, Effects of administration route on valproate pharmacokinetics in the rabbit, 331
Bouvenot G — *See* Bruguerolle B, 347
Bouvet A — *See* Crémieux AC *et al*, 53
Boyer-Chammard A — *See* Boudet J *et al*, 635
Brisac AM — *See* Huguet F, 259
British Pharmacological Society, Association Française des Pharmacologistes, Symposium : Pharmacology of airways, Role of the $GABA_A$ receptors in the mechanism of action of anxiolytics and hypnotics (abstracts), 356
Bruguerolle B, Bouvenot G, Lack of evidence of ketoprofen kinetic changes during the oestrous cycle in rats, 347
Buisson A, Plotkine M, Boulu R, Lesioning the substantia nigra reduces striatal infarct volume following focal ischemia in rats, 645
Burtin P — *See* Montes C *et al*, 557
Bussière JL — *See* Lartigue-Mattei C *et al*, 621

C

Caillon J — *See* Lepage JY *et al*, 203
Canberk A — *See* Yilmaz E *et al*, 341
Candenas ML, Devillier P, Naline E, Advenier C, Influence of diazepam, alpidem, zolpidem and zopiclone, on the response to adenosine of the guinea pig isolated trachea, 1
Cano JP — *See* Lacarelle B *et al*, 567
Carbon C — *See* Crémieux AC *et al*, 53
Carré A — *See* Andrejak M *et al*, 185
Cavero I — *See* Sabatier J *et al*, 93
Chabard JL — *See* Lartigue-Mattei C *et al*, 621
Chaleil D — *See* Allain P *et al*, 39
Choisy H — *See* Lamiable D *et al*, 733
Corallo A, Savineau JP, Tricoche R, Foungbe S, The uterotonic action of the aqueous extract of *Bridelia atroviridis* in the rat, 319
Cordonnier P — *See* Spreux-Varoquaux O *et al*, 549
Costentin J — *See* Ladurelle N *et al*, 481
Cottafava F — *See* Barzaghi N *et al*, 285
Couet W, Mathieu HP, Fourtillan JB, Effect of ponsinomycin on the pharmacokinetics of dihydroergotamine administered orally, 47
Cozian A — *See* Lepage JY *et al*, 203
Crémieux AC, Mazière B, Vallois JM, Ottaviani M, Bouvet A, Pocidalo JJ, Carbon C, Ceftriaxone diffusion into cardiac fibrin vegetation. Qualitative and quantitative evaluation by autoradiography, 53
Crevat A — *See* Monges AM *et al*, 527
Crouzette J — *See* Girre C *et al*, 797

D

Damase-Michel C — *See* Poncet MF *et al*, 473
— ***, Girolami JP, Bascands JL, Tran MA, Moatti JP, Pecher C, Berthet P, Tarrade T, Montastruc JL, Effects of cicletanine on vasoactive systems in conscious sinoaortic-denervated dogs, 719
Decombe R — *See* Milon D *et al*, 539
Del Franco G — *See* Boudet J *et al*, 635
Deruyttere M — *See* Andrejak M *et al*, 185
Desager JP — *See* Horsmans Y *et al*, 193
Devillier P — *See* Candenas ML *et al*, 1
De Sarro A — *See* De Sarro GB *et al*, 503
De Sarro GB, Donato Di Paola E, De Sarro A, Vidal MJ, Role of nitric oxide in the genesis of excitatory amino acid-induced seizures from the deep prepiriform cortex, 503
de Sousa G — *See* Lacarelle B *et al*, 567
Donato Di Paola E — *See* De Sarro GB *et al*, 503
Drieu la Rochelle C — *See* Richard V *et al*, 777
Drugeon H — *See* Lepage JY *et al*, 203
Ducreuzet C — *See* Spreux-Varoquaux O *et al*, 549
Ducroix JP — *See* Hary L *et al*, 789
Durand A — *See* Monges AM *et al*, 527 — *See* Lacarelle B *et al*, 567
Durrieu G — *See* Senard JM *et al*, 291
Dussaucy E — *See* Girre C *et al*, 797
Dutar P — *See* Rascol O *et al*, 299
Duteil J, Rambert FA, Pointeau AM, Mangiameli P, Assous E, Flerobuterol : a potential antidepressant drug related to β-adrenergic agonists. Experimental profile in mice, 695
Duterte-Boucher D — *See* Ladurelle N *et al*, 481

E

Eroğlu L — *See* Yilmaz E *et al*, 341
Estan L — *See* Senard JM *et al*, 291

F

Farh M — *See* Tazi A *et al*, 229
Faucon G — *See* Timour Q *et al*, 641
Fay R — *See* Lamiable D *et al*, 733
Ferry S — *See* Foussadier A *et al*, 595
Fleurot O, Lecocq B, Lecocq V, Le Liboux A, Montay G, Frydman A, Jaillon P, A comparative pharmacokinetic and pharmacodynamic study of conventional and sustained-release preparations of acebutolol in healthy volunteers, 601
Flouvat B, Roux A, Leneveu A, Prinseau J, Alexandre JA, Combination of long-acting furosemide and instant-acting amiloride: pharmacokinetics and pharmacodynamics in human subjects, 741
Forestier A — *See* Spreux-Varoquaux O *et al*, 549
Foungbe S — *See* Corallo A *et al*, 319
Fournier PE — *See* Girre C *et al*, 797
Fourtillan JB — *See* Couet W *et al*, 47

Foussadier A, Boulieu R, Lehot JJ, Ferry S, Pharmacokinetics of methohexital during cardiovascular surgery with cardiopulmonary bypass, 595
Frydman A — *See* Fleurot *et al*, 601

G

Garcia-Barrado MJ — *See* Reverte M *et al*, 663
Garrigues M — *See* Senard JM *et al*, 291
Gatti G — *See* Barzaghi N *et al*, 285
Gellai M — *See* Nichols AJ *et al*, 25
GEP (Groupe d'étude de la Prescription) — *See* Reveilleau S *et al*, 265
Gérard JL — *See* Gosgnach M *et al*, 709
Gerentes-Chassagne I — *See* Timour Q *et al*, 641
Gervais P — *See* Thomas G *et al*, 611
Girolami JP — *See* Damase-Michel C *et al*, 719
Girre C Bertaux L, Dussaucy E, Palombo S, Crouzette J, Fournier PE, Comparative effects on psychomotor performance of the muscle relaxant afloqualone, alone and with ethanol, 797
Giudicelli JF — *See* Berdeaux A *et al*, 117 — *See* Gosgnach M *et al*, 709 — *See* Richard V *et al*, 777
Gosgnach M, Gérard JL, Berdeaux A, Giudicelli JF, Compared peripheral vascular responses to intravenous and intra-arterial administrations of positive inotropic agents in conscious dogs, 709 — *See* Richard V *et al*, 777
Gotzen R — *See* Andrejak M *et al*, 185
Guenzet J — *See* Bourin M *et al*, 331

H

Hakkou F — *See* Tazi A *et al*, 229
Harvengt C — *See* Horsmans Y *et al*, 193
Hary L, Smail A, Ducroix JP, Baillet J, Andrejak M, Pharmacokinetics and ascitic fluid penetration of piperacillin in cirrhosis, 789
Horsmans Y, Desager JP, Pauwels S, Harvengt C, Lack of effect by nifedipine on hepatic mixed function oxidase in man, 193
Houze P — *See* Thomas G *et al*, 611
Huguet F, Brisac AM, Central $5HT_{1A}$-receptor binding in normotensive and spontaneously hypertensive rats, 259
Hundal Ø, Rugstad HE, Determination of free concentration of piroxicam and naproxen in plasma. The influence of experimental conditions in equilibrium dialysis, 275

J

Jacquot C — *See* Trouvin JH *et al*, 497
Jacqz-Aigrain E — *See* Montes C *et al*, 557
Jaillon P — *See* Fleurot *et al*, 601
Jouglard J — *See* Allain P *et al*, 39

K

Kergueris MF — *See* Bourin M *et al*, 331
Kioueh I — *See* Timour Q *et al*, 641
Koen R — *See* Thomas G *et al*, 611
Koizumi Y — *See* Naruse T *et al*, 677
Krari N — *See* Allain P *et al*, 39

L

Lacarelle B, Rahmani R, de Sousa G, Durand A, Placidi M, Cano JP, Metabolism of digoxin, digoxigenin digitoxosides and digoxigenin in human hepatocytes and liver microsomes, 567
Ladurelle N, Duterte-Boucher D, Costentin J, Stimulation of D1 and D2 dopamine receptors produces additive anorectic effects, 481
Lagier G — *See* Allain P *et al*, 39 — *See* Thomas G *et al*, 611
Lambert C — *See* Berdeaux A *et al*, 117
Lamedica G — *See* Barzaghi N *et al*, 285
Lamiable D, Vistelle R, Fay R, Bensussan B, Millart H, Wiczewski M, Choisy H, Influence of sex and oestrogen replacement on the disposition of dexamethasone in rats, 733
Lamour Y — *See* Rascol O *et al*, 299
Larbre JP — *See* Timour Q *et al*, 641
Larousse C — *See* Bourin M *et al*, 331
Lartigue-Mattei C, Chabard JL, Ristori JM, Bussière JL, Bargnoux H, Petit J, Berger JA, Kinetics of allopurinol and its metabolite oxypurinol after oral

administration of allopurinol alone or associated with benzbromarone in man. Simultaneous assay of hypoxanthine and xanthine by gas chromatography-mass spectrometry, 621
Lecocq B — *See* Fleurot *et al*, 601
Lecocq V — *See* Fleurot *et al*, 601
Lehot JJ — *See* Foussadier A *et al*, 595
Le Liboux A — *See* Fleurot *et al*, 601
Lemaitre MH — *See* Milon D *et al*, 539
Leneveu A — *See* Flouvat B *et al*, 741
Le Normand Y — *See* Lepage JY *et al*, 203
Lepage JY, Caillon J, Malinowsky JM, Lequerré S, Cozian A, Le Normand Y, Potel G, Drugeon H, Baron D, Pharmacokinetics of norfloxacin in the elderly, 203
Lequerré S — *See* Lepage JY *et al*, 203
Louchahi M — *See* Perret G *et al*, 583
Loufoua-Moundanga J — *See* Timour Q *et al*, 641

M

Magometschnigg D — *See* Andrejak M *et al*, 185
Malinowsky JM — *See* Lepage JY *et al*, 203
Mangiameli P — *See* Duteil J *et al*, 695
Marchese N — *See* Barzaghi N *et al*, 285
Martinet JP — *See* Milon D *et al*, 539
Massocco D — *See* Barzaghi N *et al*, 285
Mathieu HP — *See* Couet W *et al*, 47
Maubrey MC — *See* Trouvin JH *et al*, 497
Mazière B — *See* Crémieux AC *et al*, 53 — ***, Mazière M, Positron emission tomography studies of brain receptors, 61
Mazière M — *See* Mazière B, 61
Memezawa H — *See* Siesjö BK *et al*, 755
Meyer P — *See* Boudet J *et al*, 635
Millart H — *See* Lamiable D *et al*, 733
Milon D, Allain H, Bentue-Ferrer D, Martinet JP, Lemaitre MH, Decombe R, Cardiac β-adrenoceptor sensitivity and Parkinson's disease, 539
Moatti JP — *See* Damase-Michel C *et al*, 719
Monges AM, Pisano P, Aujoulat P, Salducci D, Durand A, Panagides D, Bory M, Crevat A, ^{1}H nuclear magnetic resonance and clinical studies of interaction of calcium antagonists and hypoglycemic sulfonylureas, 527
Montastruc JL — *See* Senard JM *et al*, 291 — *See* Poncet MF *et al*, 473 — *See* Damase-Michel C *et al*, 719
Montastruc P — *See* Poncet MF *et al*, 473
Montay G — *See* Fleurot *et al*, 601
Montes C, Burtin P, Jacqz-Aigrain E, Monoclonal antibody fluorescent polarisation immunoassay *versus* ^{125}Iode labelled ligand radioimmunoassay for the measurement of cyclosporine concentrations in whole blood, 557
Moratinos J — *See* Reverte M *et al*, 663
Motley ED — *See* Ruffolo RR Jr *et al*, 11

N

Naline E — *See* Candenas ML *et al*, 1
Naruse T, Amano H, Koizumi Y, Possible involvement of dopamine D-1 and D-2 receptors in diazepam-induced hyperphagia in rats, 677
Nichols AJ — *See* Ruffolo RR Jr *et al*, 11 — ***, Gellai M, Ruffolo RR Jr, Studies on the mechanism of arterial vasodilatation produced by the novel antihypertensive agent, carvedilol, 25
Nicolas P — *See* Pré J *et al*, 139 — *See* Yin YL *et al*, 491 — *See* Uzzan B *et al*, 513

O

Oblin A, Zivkovic B, Tachykinins in the rat substantia nigra: effects of selective dopamine receptor antagonists, 129
Ortega A — *See* Bourin M *et al*, 331
Ottaviani M — *See* Crémieux AC *et al*, 53

P

Palombo S — *See* Girre C *et al*, 797
Panagides D — *See* Monges AM *et al*, 527
Pauwels S — *See* Horsmans Y *et al*, 193
Pays M — *See* Spreux-Varoquaux O *et al*, 549
Pecher C — *See* Damase-Michel C *et al*, 719
Perret G — *See* Pré J *et al*, 139 — *See* Yin YL *et al*, 491 — *See* Uzzan B *et al*, 513 — ***, Yin YL, Vassy R, Uzzan B, Louchahi M, *In vivo* effects of macrolides on thyroid hormone serum levels and on hepatic type 1,5'-deiodinase in rat. A comparative study with amiodarone, phenobarbital and propranolol, 583

Petit J — *See* Lartigue-Mattei *C et al*, 621
Petitjean O — *See* Uzzan B *et al*, 513
Pisano P — *See* Monges AM *et al*, 527
Placidi M — *See* Lacarelle B *et al*, 567
Plotkine M — *See* Buisson A *et al*, 645
Pocidalo JJ — *See* Crémieux AC *et al*, 53
Pointeau AM — *See* Duteil J *et al*, 695
Poncet MF, Damase-Michel C, Valet P, Tran MA, Montastruc JL, Montastruc P, Clonidine but not propranolol decreases plasma neuropeptide Y (NPY) levels, 473
Potel G — *See* Lepage JY *et al*, 203
Potier B — *See* Rascol O *et al*, 299
Pouyet T — *See* Sabatier J *et al*, 93
Pré J, Perret G, Nicolas P, Vassy R, Effect of a short term oral treatment by phenobarbital propranolol and amiodarone in rat on serum levels of fluorescent lipid-peroxidation products, 139
Prinseau J — *See* Flouvat B *et al*, 741
Pussard E — *See* Yin YL *et al*, 491

Q

Qing W — *See* Boudet J *et al*, 635

R

Rahmani R — *See* Lacarelle B *et al*, 567
Ramaswamy S — *See* Srinivasan D *et al*, 769
Rambert FA — *See* Duteil J *et al*, 695
Rascol O, Potier B, Lamour Y, Dutar P, Effects of calcium channel agonist and antagonists on calcium-dependent events in CA1 hippocampal neurons, 299
Raynal H — *See* Trouvin JH *et al*, 497
Reveilleau S, Boissel JP, Alamercery Y, and the GEP (Groupe d'étude de la Prescription), Do prescribers know the results of key clinical trials? 265
Reverte M, Garcia-Barrado MJ, Moratinos J, Changes in plasma glucose and lactate evoked by α and β_2-adrenoceptor stimulation in conscious fasted rabbits, 663
Richard V, Gosgnach M, Drieu la Rochelle C, Giudicelli JF, Berdeaux A, The L-arginine – nitric oxide pathway in the canine femoral vascular bed: *in vitro* and *in vivo* experiments, 777
Ristori JM — *See* Lartigue-Mattei C *et al*, 621
Ristori MT, Verdetti J, Effects of taurine on rat aorta *in vitro*, 245
Rosen P — *See* Boudet J *et al*, 635
Roux A — *See* Flouvat B *et al*, 741
Ruffolo RR Jr — ***, Motley ED, Nichols AJ, The effect of pertussis toxin on α_1-adrenoceptor-mediated vasoconstriction by the full agonist, cirazoline, and the partial agonist, (-)-dobutamine, in pithed rats, 11 — *See* Nichols AJ *et al*, 25
Rugstad HE — *See* Hundal Ø, 275

S

Sabatier J, Pouyet T, Shelvey G, Cavero I, Antagonistic effects of epinephrine, glucagon and methylatropin but not calcium chloride against atrio-ventricular conduction disturbances produced by high doses of diltiazem, in conscious dogs, 93
Salducci D — *See* Monges AM *et al*, 527
Santoni JP — *See* Andrejak M *et al*, 185
Savineau JP — *See* Corallo A *et al*, 319
Senard JM, Durrieu G, Berlan M, Estan L, Valet P, Tran MA, Garrigues M, Montastruc JL, Absence of arterial hypertension despite chronic plasma noradrenaline elevation: evidence for down-regulation of α-adrenoceptors. A case report, 291
Shelvey G — *See* Sabatier J *et al*, 93
Siesjö BK, Memezawa H, Smith ML, Neurotoxicity: pharmacological implications, 755
Smail A — *See* Hary L *et al*, 789
Smith ML — *See* Siesjö BK *et al*, 755
Smits JFM, Struyker-Boudier HAJ, Regional hemodynamic effects of rilmenidine and clonidine in the conscious spontaneously hypertensive rat, 651
Spreux-Varoquaux O, Ulmer B, Cordonnier P, Forestier A, Pays M, Ducreuzet C, Advenier C, Pharmacokinetics of molsidomine and of its active metabolite, SIN-1 (or linsidomine), in the elderly, 549
Srinivasan B — *See* Srinivasan D *et al*, 769
Srinivasan D, Ramaswamy S, Bapna JS, Srinivasan B, Tolerance pattern to GABAmimetic analgesics and their influence on morphine tolerance and dependence, 769

Struyker-Boudier HAJ — *See* Smits JFM, 651
Stumpe KO — *See* Andrejak M *et al*, 185

T

Tarrade T — *See* Damase-Michel C *et al*, 719
Tazi A, Farh M, Hakkou F, Behavioral effects of a calcium channel antagonist: nifedipine, 229
Thomare P — *See* Bourin M *et al*, 331
Thomas G, Koen R, Houze P, Lagier G, Gervais P, Steady-state population pharmacokinetics of sustained release theophylline in adult asthmatic patients, 611
Timour Q, Larbre JP, Aupetit JF, Gerentes-Chassagne I, Loufoua-Moundanga J, Kioueh I, Faucon G, Protection against ischaemic ventricular fibrillation by blocking agents of myocardial cell calcium influx. Electrophysiological study in the pig *in situ* heart, 641
Tod M — *See* Uzzan B *et al*, 513
Tran MA — *See* Senard JM *et al*, 291 — *See* Poncet MF *et al*, 473 — *See* Damase-Michel C *et al*, 719
Tricoche R — *See* Corallo A *et al*, 319
Trouvin JH, Maubrey MC, Raynal H, Jacquot C, Effect of L-dopa loading on 5-HTP decarboxylation in rat brain areas, 497

U

Ulmer B — *See* Spreux-Varoquaux O *et al*, 549
Uzzan B — *See* Yin YL *et al*, 491 — ***, Nicolas P, Perret G, Vassy R, Tod M, Petitjean O, Effects of troleandomycin and josamycin on thyroid hormone and steroid serum levels, liver function tests and microsomal monooxygenases in healthy volunteers: a double blind placebo-controlled study, 513 — *See* Perret G *et al*, 583

V

Valet P — *See* Senard JM *et al*, 291 — *See* Poncet MF *et al*, 473
Vallois JM — *See* Crémieux AC *et al*, 53
Vassy R — *See* Pré J *et al*, 139 — *See* Yin YL *et al*, 491 — *See* Uzzan B *et al*, 513 — *See* Perret G *et al*, 583
Verdetti J — *See* Ristori MT, 245
Vidal MJ — *See* De Sarro GB *et al*, 503
Vidal-Beretervide K, Effects of (±) dobutamine and its (+) and (−) enantiomers in the isolated rat portal vein, 237
Vistelle R — *See* Lamiable D *et al*, 733

W

Wiczewski M — *See* Lamiable D *et al*, 733

Y

Yilmaz E, Canberk A, Eroğlu L, Nifedipine alters serum theophylline levels in asthmatic patients with hypertension, 341
Yin YL, Nicolas P, Vassy R, Uzzan B, Pussard E, Berdeaux A, Perret G, Amiodarone: influence of the route of administration on thyroid status and cardiac β-adrenoceptors in the rat, 491 — *See* Perret G *et al*, 583

Z

Zivkovic B — *See* Oblin A, 129

Fundam Clin Pharmacol (1991) 5, 855–865
© Elsevier, Paris

KEYWORD INDEX

A

Absorption — Effects of administration route on valproate pharmacokinetics in the rabbit, 331

Acebutolol — A comparative pharmacokinetic and pharmacodynamic study of conventional and sustained-release preparations of acebutolol in healthy volunteers, 601

Acetylcholine — The L-arginine – nitric oxide pathway in the canine femoral vascular bed: *in vitro* and *in vivo* experiments, 777

Adenosine — Influence of diazepam, alpidem, zolpidem and zopiclone, on the response to adenosine of the guinea pig isolated trachea, 1

Administration route — Amiodarone: influence of the route of administration on thyroid status and cardiac β-adrenoceptors in the rat, 491

Adrenoceptor regulation — Absence of arterial hypertension despite chronic plasma noradrenaline elevation: evidence for down-regulation of α-adrenoceptors. A case report, 291

α-Adrenoceptors — Absence of arterial hypertension despite chronic plasma noradrenaline elevation: evidence for down-regulation of α-adrenoceptors. A case report, 291

α_1-Adrenoceptors — The effect of pertussis toxin on α_1-adrenoceptor-mediated vasoconstriction by the full agonist, cirazoline, and the partial agonist, (-)-dobutamine, in pithed rats, 11 — Studies on the mechanism of arterial vasodilatation produced by the novel antihypertensive agent, carvedilol, 25 — Alpha-adrenoceptor subtypes and regional myocardial blood flow distribution during coronary occlusion in dogs, 117

α_1-, α_2- and β_2-Adrenoceptors — Changes in plasma glucose and lactate evoked by α and β_2-adrenoceptor stimulation in conscious fasted rabbits, 663

α_2-Adrenoceptors — Alpha-adrenoceptor subtypes and regional myocardial blood flow distribution during coronary occlusion in dogs, 117

β-Adrenoceptor agonists — Flerobuterol : a potential antidepressant drug related to β-adrenergic agonists. Experimental profile in mice, 695

β-Adrenoceptors — Studies on the mechanism of arterial vasodilatation produced by the novel antihypertensive agent, carvedilol, 25

Afloqualone — Comparative effects on psychomotor performance of the muscle relaxant afloqualone, alone and with ethanol, 797

Ageing — Cardiac β-adrenoceptor sensitivity and Parkinson's disease, 539

α-Agonists — Effects of (±) dobutamine and its (+) and (–) enantiomers in the isolated rat portal vein, 237

β_2-Agonists — Effects of (±) dobutamine and its (+) and (–) enantiomers in the isolated rat portal vein, 237

Allopurinol — Kinetics of allopurinol and its metabolite oxypurinol after oral administration of allopurinol alone or associated with benzbromarone in man. Simultaneous assay of hypoxanthine and xanthine by gas chromatography-mass spectrometry, 621

Alpidem — Influence of diazepam, alpidem, zolpidem and zopiclone, on the response to adenosine of the guinea pig isolated trachea, 1

Amiloride — Combination of long-acting furosemide and instant-acting amiloride : pharmacokinetics and pharmacodynamics in human subjects, 741

Amiodarone — Effect of a short term oral treatment by phenobarbital propranolol and amiodarone in rat on serum levels of fluorescent lipid-peroxidation products, 139 — Amiodarone: influence of the route of administration on thyroid status and cardiac β-adrenoceptors in the rat,

491 — *In vivo* effects of macrolides on thyroid hormone serum levels and on hepatic type 1,5'-deiodinase in rat. A comparative study with amiodarone, phenobarbital and propranolol, 583

Analgesia — Tolerance pattern to GABA mimetic analgesics and their influence on morphine tolerance and dependence, 769

Angiotensin converting enzyme inhibitors — A double-blind comparison of perindopril and hydrochlorothiazide-amiloride in mild to moderate essential hypertension, 185

Anorexia — Stimulation of D1 and D2 dopamine receptors produces additive anorectic effects, 481

Antagonism — Antagonistic effects of epinephrine, glucagon and methylatropine but not calcium chloride against atrio-ventricular conduction disturbances produced by high doses of diltiazem, in conscious dogs, 93

Antidepressant — Flerobuterol: a potential antidepressant drug related to β-adrenergic agonists. Experimental profile in mice, 695

Antifibrillatory properties — Protection against ischaemic ventricular fibrillation by blocking agents of myocardial cell calcium influx. Electrophysiological study in the pig *in situ* heart, 641

Antimicrobial agents — Pharmacokinetics of norfloxacin in the elderly, 203

Anxiety — Behavioral effects of a calcium channel antagonist: nifedipine, 229

Anxiolytics — Symposium : Pharmacology of airways. Role of the $GABA_A$ receptors in the mechanism of action of anxiolytics and hypnotics (abstracts), 356

Apomorphine — Stimulation of D1 and D2 dopamine receptors produces additive anorectic effects, 481

L-Arginine — The L-arginine – nitric oxide pathway in the canine femoral vascular bed: *in vitro* and *in vivo* experiments, 777

Arterial hypertension — Clonidine but not propranolol decreases plasma neuropeptide Y (NPY) levels, 473 — Effects of cicletanine on vasoactive systems in conscious sinoaortic-denervated dogs, 719

Ascites — Pharmacokinetics and ascitic fluid penetration of piperacillin in cirrhosis, 789

Atropine — Dose - response effects of atropine in human volunteers, 635

Autoradiogaphy — Ceftriaxone diffusion into cardiac fibrin vegetation. Qualitative and quantitative evaluation by auto-radiography, 53

AV blocks — Antagonistic effects of epinephrine, glucagon and methylatropine but not calcium chloride against atrio-ventricular conduction disturbances produced by high doses of diltiazem, in conscious dogs, 93

B

Benzodiazepine — Positron emission tomography studies of brain receptors, 61

Benzodiazepine receptor antagonists — Influence of diazepam, alpidem, zolpidem and zopiclone, on the response to adenosine of the guinea pig isolated trachea, 1

Bismuth intoxication — Effects of some chelating agents on bismuth absorption in the rat, 39

Blood pressure — Nifedipine alters serum theophylline levels in asthmatic patients with hypertension, 341

Bradykinin — The L-arginine – nitric oxide pathway in the canine femoral vascular bed: *in vitro* and *in vivo* experiments, 777

Brain excitotoxic damage — Neurotoxicity: pharmacological implications, 755

Bridelia atroviridis — The uterotonic action of the aqueous extract of *Bridelia atroviridis* in the rat, 319

C

Calcium — Effects of taurine on rat aorta *in vitro*, 245

Calcium antagonists — Behavioral effects of a calcium channel antagonist: nifedipine, 229 — ^1H nuclear magnetic resonance and clinical studies of interaction of calcium antagonists and hypoglycemic sulfonylureas, 527

Calcium blockers — Protection against ischaemic ventricular fibrillation by blocking agents of myocardial cell calcium influx. Electrophysiological study in the pig *in situ* heart, 641

Calcium channel — Effects of calcium channel agonist and antagonists on calcium-

dependent events in CA1 hippocampal neurons, 299

Calcium channel antagonist — Studies on the mechanism of arterial vasodilatation produced by the novel antihypertensive agent, carvedilol, 25

Cardiac β-adrenoceptors — Amiodarone: influence of the route of administration on thyroid status and cardiac β-adrenoceptors in the rat, 491 — Cardiac β-adrenoceptor sensitivity and Parkinson's disease, 539

Cardiac vegetation — Ceftriaxone diffusion into cardiac fibrin vegetation. Qualitative and quantitative evaluation by autoradiography, 53

Cardiopulmonary bypass — Pharmacokinetics of methohexital during cardiovascular surgery with cardiopulmonary bypass, 595

Cardiovascular surgery — Pharmacokinetics of methohexital during cardiovascular surgery with cardiopulmonary bypass, 595

Carvedilol — Studies on the mechanism of arterial vasodilatation produced by the novel antihypertensive agent, carvedilol, 25

Catecholamines — Effects of cicletanine on vasoactive systems in conscious sinoaortic-denervated dogs, 719

Ceftriaxone — Ceftriaxone diffusion into cardiac fibrin vegetation. Qualitative and quantitative evaluation by autoradiography, 53

Cerebral protection — Lesioning the substantia nigra reduces striatal infarct volume following focal ischemia in rats, 645

Chelating agents — Effects of some chelating agents on bismuth absorption in the rat, 39

Children — Salicylic acid disposition in children with rheumatoid arthritis, 285

Cholinergic receptors — Positron emission tomography studies of brain receptors, 61

Cicletanine — Effects of cicletanine on vasoactive systems in conscious sinoaortic-denervated dogs, 719

Cirazoline — The effect of pertussis toxin on α_1-adrenoceptor-mediated vasoconstriction by the full agonist, cirazoline, and the partial agonist, (-)-dobutamine, in pithed rats, 11

Cirrhosis — Pharmacokinetics and ascitic fluid penetration of piperacillin in cirrhosis, 789

Clinical trial — A double-blind comparison of perindopril and hydrochlorothiazide-amiloride in mild to moderate essential hypertension, 185 — Do prescribers know the results of key clinical trials? 265

Clonidine — Clonidine but not propranolol decreases plasma neuropeptide Y (NPY) levels, 473

Cognitive functions — Cardiac β-adrenoceptor sensitivity and Parkinson's disease, 539

ω-Conotoxin — Effects of calcium channel agonist and antagonists on calcium-dependent events in CA1 hippocampal neurons, 299

Conscious dogs — Antagonistic effects of epinephrine, glucagon and methylatropine but not calcium chloride against atrioventricular conduction disturbances produced by high doses of diltiazem, in conscious dogs, 93 — Compared peripheral vascular responses to intravenous and intra-arterial administrations of positive inotropic agents in conscious dogs, 709 — The L-arginine – nitric oxide pathway in the canine femoral vascular bed: *in vitro* and *in vivo* experiments, 777

Coronary artery occlusion — Alpha-adrenoceptor subtypes and regional myocardial blood flow distribution during coronary occlusion in dogs, 117

Cyclosporine — Monoclonal antibody fluorescent polarisation immunoassay *versus* ^{125}Iode labelled ligand radioimmunoassay for the measurement of cyclosporine concentrations in whole blood, 557

Cytochrome P 450 — Effects of troleandomycin and josamycin on thyroid hormone and steroid serum levels, liver function tests and microsomal monooxygenases in healthy volunteers: a double blind placebo-controlled study, 513

D

Decarboxylase — Effect of L-dopa loading on 5-HTP decarboxylation in rat brain areas, 497

Deep prepiriform cortex — Role of nitric oxide in the genesis of excitatory amino acid-induced seizures from the deep prepiriform cortex, 503

5'-Deiodinase — *In vivo* effects of macrolides on thyroid hormone serum levels and on hepatic type 1,5'-deiodinase in rat. A comparative study with amiodarone, phenobarbital and propranolol, 583

Depression — Behavioral effects of a calcium channel antagonist: nifedipine, 229

Dexamethasone disposition — Influence of sex and oestrogen replacement on the disposition of dexamethasone in rats, 733

Diabetic hypertensive patients — ^1H nuclear magnetic resonance and clinical studies of interaction of calcium antagonists and hypoglycemic sulfonylureas, 527

Diacebutolol — A comparative pharmacokinetic and pharmacodynamic study of conventional and sustained-release preparations of acebutolol in healthy volunteers, 601

Diazepam — Possible involvement of dopamine D-1 and D-2 receptors in diazepam-induced hyperphagia in rats, 677 — Comparative effects on psychomotor performance of the muscle relaxant afloqualone, alone and with ethanol, 797

Digoxin — Metabolism of digoxin, digoxigenin digitoxosides and digoxigenin in human hepatocytes and liver microsomes, 567

Dihydroergotamine — Effect of ponsinomycin on the pharmacokinetics of dihydroergotamine administered orally, 47

Dihydropyridines — Effects of calcium channel agonist and antagonists on calcium-dependent events in CA1 hippocampal neurons, 299

Diltiazem — Antagonistic effects of epinephrine, glucagon and methylatropine but not calcium chloride against atrio-ventricular conduction disturbances produced by high doses of diltiazem, in conscious dogs, 93

Diuretics — A double-blind comparison of perindopril and hydrochlorothiazide-amiloride in mild to moderate essential hypertension, 185 — Combination of long-acting furosemide and instant-acting amiloride: pharmacokinetics and pharmacodynamics in human subjects, 741

(-)-Dobutamine — The effect of pertussis toxin on α_1-adrenoceptor-mediated vasoconstriction by the full agonist, cirazoline, and the partial agonist, (-)-dobutamine, in pithed rats, 11

Dobutamine enantiomers — Effects of (±) dobutamine and its (+) and (-) enantiomers in the isolated rat portal vein, 237

L-Dopa — Effect of L-dopa loading on 5-HTP decarboxylation in rat brain areas, 497

Dopamine antagonists — Tachykinins in the rat substantia nigra: effects of selective dopamine receptor antagonists, 129

Dopamine D-1, D-2 receptors — Possible involvement of dopamine D-1 and D-2 receptors in diazepam-induced hyperphagia in rats, 677

Dopamine receptors — Stimulation of D1 and D2 dopamine receptors produces additive anorectic effects, 481

Dopaminergic receptors — Positron emission tomography studies of brain receptors, 61

Drug interactions — Effect of ponsinomycin on the pharmacokinetics of dihydroergotamine administered orally, 47

Drug metabolizing enzyme inhibitors — Effects of troleandomycin and josamycin on thyroid hormone and steroid serum levels, liver function tests and microsomal monooxygenases in healthy volunteers: a double blind placebo-controlled study, 513

E

Elderly — Pharmacokinetics of norfloxacin in the elderly, 203 — Pharmacokinetics of molsidomine and of its active metabolite, SIN-1 (or linsidomine), in the elderly, 549

Encephalopathies — Effects of some chelating agents on bismuth absorption in the rat, 39

Endothelium — Effects of taurine on rat aorta *in vitro*, 245

Endothelium-derived relaxing factor — The L-arginine – nitric oxide pathway in the canine femoral vascular bed: *in vitro* and *in vivo* experiments, 777

Equilibrium dialysis — Determination of free concentration of piroxicam and naproxen in plasma. The influence of experimental conditions in equilibrium dialysis, 275

Ergot alkaloid — Effect of ponsinomycin on the pharmacokinetics of dihydroergotamine administered orally, 47

Essential hypertension — A double-blind comparison of perindopril and hydrochlorothiazide-amiloride in mild to moderate essential hypertension, 185

Ethanol interaction — Comparative effects on

psychomotor performance of the muscle relaxant afloqualone, alone and with ethanol, 797

Excitatory amino acid — Role of nitric oxide in the genesis of excitatory amino acid-induced seizures from the deep prepiriform cortex, 503

F

Fasted rabbits — Changes in plasma glucose and lactate evoked by α and β_2-adrenoceptor stimulation in conscious fasted rabbits, 663

Flerobuterol — Flerobuterol : a potential antidepressant drug related to β-adrenergic agonists. Experimental profile in mice, 695

Flow-dependent mechanisms — Compared peripheral vascular responses to intravenous and intra-arterial administrations of positive inotropic agents in conscious dogs, 709

Fluorescent polarisation — Monoclonal antibody fluorescent polarisation immunoassay *versus* ^{125}Iode labelled ligand radioimmunoassay for the measurement of cyclosporine concentrations in whole blood, 557

Focal cerebral ischemia — Lesioning the substantia nigra reduces striatal infarct volume following focal ischemia in rats, 645

Free concentration — Determination of free concentration of piroxicam and naproxen in plasma. The influence of experimental conditions in equilibrium dialysis, 275

Full agonist — The effect of pertussis toxin on α_1-adrenoceptor-mediated vasoconstriction by the full agonist, cirazoline, and the partial agonist, (-)-dobutamine, in pithed rats, 11

Furosemide — Combination of long-acting furosemide and instant-acting amiloride : pharmacokinetics and pharmacodynamics in human subjects, 741

G

G-protein — The effect of pertussis toxin on α_1-adrenoceptor-mediated vasoconstriction by the full agonist, cirazoline, and the partial agonist, (-)-dobutamine, in pithed rats, 11

General practice — Do prescribers know the results of key clinical trials? 265

Genetic polymorphism — Clinical consequences of polymorphic drug oxidation, 209

Gluconeogenesis — Changes in plasma glucose and lactate evoked by α and β_2-adrenoceptor stimulation in conscious fasted rabbits, 663

Glutamate antagonists — Neurotoxicity: pharmacological implications, 755

Guinea pig isolated trachea — Influence of diazepam, alpidem, zolpidem and zopiclone, on the response to adenosine of the guinea pig isolated trachea, 1

H

Hepatic MFO system — Lack of effect by nifedipine on hepatic mixed function oxidase in man, 193

High dose — Antagonistic effects of epinephrine, glucagon and methylatropine but not calcium chloride against atrio-ventricular conduction disturbances produced by high doses of diltiazem, in conscious dogs, 93

Hippocampus — Effects of calcium channel agonist and antagonists on calcium-dependent events in CA1 hippocampal neurons, 299

[^{3}H]-8-OH-DPAT — Central $5HT_{1A}$-receptor binding in normotensive and spontaneously hypertensive rats, 259

5HT — Positron emission tomography studies of brain receptors, 61

5-HTP — Effect of L-dopa loading on 5-HTP decarboxylation in rat brain areas, 497

$5HT_{1A}$-receptor — Central $5HT_{1A}$-receptor binding in normotensive and spontaneously hypertensive rats, 259

Human hepatocytes — Metabolism of digoxin, digoxigenin digitoxosides and digoxigenin in human hepatocytes and liver microsomes, 567

Human liver microsomes — Metabolism of digoxin, digoxigenin digitoxosides and digoxigenin in human hepatocytes and liver microsomes, 567

Hyperphagia — Possible involvement of dopamine D-1 and D-2 receptors in diazepam-induced hyperphagia in rats, 677

Hypertension — Regional hemodynamic effects of rilmenidine and clonidine in the conscious spontaneously hypertensive rat, 651

Hypnotics — Symposium : Pharmacology of airways. Role of the $GABA_A$ receptors in the mechanism of action of anxiolytics and hypnotics (abstracts), 356

Hypoglycemic sulfonylureas — ^1H nuclear magnetic resonance and clinical studies of interaction of calcium antagonists and hypoglycemic sulfonylureas, 527

Hypothermia — Pharmacokinetics of methohexital during cardiovascular surgery with cardiopulmonary bypass, 595

Hypoxanthine — Kinetics of allopurinol and its metabolite oxypurinol after oral administration of allopurinol alone or associated with benzbromarone in man. Simultaneous assay of hypoxanthine and xanthine by gas chromatography-mass spectrometry, 621

I

Imidazolines — Regional hemodynamic effects of rilmenidine and clonidine in the conscious spontaneously hypertensive rat, 651

Imipramine — Flerobuterol : a potential antidepressant drug related to β-adrenergic agonists. Experimental profile in mice, 695

Insulin release — The binding site for [^3H]glibenclamide in the rat cerebral cortex does not recognize K-channel agonists or antagonists other than sulphonylureas, 107

Interaction D1-D2 — Stimulation of D1 and D2 dopamine receptors produces additive anorectic effects, 481

Intracellular calcium — Protection against ischaemic ventricular fibrillation by blocking agents of myocardial cell calcium influx. Electrophysiological study in the pig *in situ* heart, 641

Intracellular recording — Effects of calcium channel agonist and antagonists on calcium-dependent events in CA1 hippocampal neurons, 299

Ischemia — Neurotoxicity: pharmacological implications, 755

J

Juvenile rheumatoid arthritis — Salicylic acid disposition in children with rheumatoid arthritis, 285

K

K^+-channels — The binding site for [^3H]glibenclamide in the rat cerebral cortex does not recognize K-channel agonists or antagonists other than sulphonylureas, 107

Kallikrein — Effects of cicletanine on vasoactive systems in conscious sinoaortic-denervated dogs, 719

Ketoprofen — Lack of evidence of ketoprofen kinetic changes during the oestrous cycle in rats, 347

Kinins — Effects of cicletanine on vasoactive systems in conscious sinoaortic-denervated dogs, 719

L

Learning — Behavioral effects of a calcium channel antagonist: nifedipine, 229

Linsidomine — Pharmacokinetics of molsidomine and of its active metabolite, SIN-1 (or linsidomine), in the elderly, 549

Lipid — Effect of a short term oral treatment by phenobarbital propranolol and amiodarone in rat on serum levels of fluorescent lipid-peroxidation products, 139

Lung function tests — Nifedipine alters serum theophylline levels in asthmatic patients with hypertension, 341

M

Macrolides — *In vivo* effects of macrolides on thyroid hormone serum levels and on hepatic type 1,5'-deiodinase in rat. A comparative study with amiodarone, phenobarbital and propranolol, 583

Macrolide antibiotic — Effect of ponsinomycin on

the pharmacokinetics of dihydroergotamine administered orally, 47 — Effects of troleandomycin and josamycin on thyroid hormone and steroid serum levels, liver function tests and microsomal monooxygenases in healthy volunteers: a double blind placebo-controlled study, 513

Man — Lack of effect by nifedipine on hepatic mixed function oxidase in man, 193

Medulla oblongata — Central $5HT_{1A}$-receptor binding in normotensive and spontaneously hypertensive rats, 259

Memory — Behavioral effects of a calcium channel antagonist: nifedipine, 229

Metabolism — Pharmacokinetics of molsidomine and of its active metabolite, SIN-1 (or linsidomine), in the elderly, 549 — Metabolism of digoxin, digoxigenin digitoxosides and digoxigenin in human hepatocytes and liver microsomes, 567

Methohexital — Pharmacokinetics of methohexital during cardiovascular surgery with cardiopulmonary bypass, 595

Methylene blue — Role of nitric oxide in the genesis of excitatory amino acid-induced seizures from the deep prepiriform cortex, 503

Mice — Stimulation of D1 and D2 dopamine receptors produces additive anorectic effects, 481

Molsidomine — Pharmacokinetics of molsidomine and of its active metabolite, SIN-1 (or linsidomine), in the elderly, 549

Morphine dependence — Tolerance pattern to GABAmimetic analgesics and their influence on morphine tolerance and dependence, 769

Mouse — Flerobuterol : a potential antidepressant drug related to β-adrenergic agonists. Experimental profile in mice, 695

Muscimol — Tolerance pattern to GABAmimetic analgesics and their influence on morphine tolerance and dependence, 769

Muscle relaxant — Comparative effects on psychomotor performance of the muscle relaxant afloqualone, alone and with ethanol, 797

N

Naproxen — Determination of free concentration of piroxicam and naproxen in plasma. The influence of experimental conditions in equilibrium dialysis, 275

Neurokinin A — Tachykinins in the rat substantia nigra: effects of selective dopamine receptor antagonists, 129

Neuropeptide Y — Clonidine but not propranolol decreases plasma neuropeptide Y (NPY) levels, 473

Nifedipine — Lack of effect by nifedipine on hepatic mixed function oxidase in man, 193 — Behavioral effects of a calcium channel antagonist: nifedipine, 229 — Nifedipine alters serum theophylline levels in asthmatic patients with hypertension, 341

Nitric oxide — Role of nitric oxide in the genesis of excitatory amino acid-induced seizures from the deep prepiriform cortex, 503 — The L-arginine – nitric oxide pathway in the canine femoral vascular bed: *in vitro* and *in vivo* experiments, 777

NMMA and seizures — Role of nitric oxide in the genesis of excitatory amino acid-induced seizures from the deep prepiriform cortex, 503

NMR — ^1H nuclear magnetic resonance and clinical studies of interaction of calcium antagonists and hypoglycemic sulfonylureas, 527

Nonlinear mixed effects model — Steady-state population pharmacokinetics of sustained release theophylline in adult asthmatic patients, 611

Noradrenaline — Clonidine but not propranolol decreases plasma neuropeptide Y (NPY) levels, 473

Norfloxacin — Pharmacokinetics of norfloxacin in the elderly, 203

Normothermia — Pharmacokinetics of methohexital during cardiovascular surgery with cardiopulmonary bypass, 595

NSAID — Lack of evidence of ketoprofen kinetic changes during the oestrous cycle in rats, 347

O

Oestrogen replacement — Influence of sex and oestrogen replacement on the disposition of dexamethasone in rats, 733

Oestrous cycle — Lack of evidence of ketoprofen kinetic changes during the oestrous cycle in rats, 347

Opiate — Positron emission tomography studies of brain receptors, 61

Oxazolines — Regional hemodynamic effects of rilmenidine and clonidine in the conscious spontaneously hypertensive rat, 651

Oxydative drug metabolism — Clinical consequences of polymorphic drug oxidation, 209

Oxypurinol — Kinetics of allopurinol and its metabolite oxypurinol after oral administration of allopurinol alone or associated with benzbromarone in man. Simultaneous assay of hypoxanthine and xanthine by gas chromatography-mass spectrometry, 621

P

Parkinson's disease — Cardiac β-adrenoceptor sensitivity and Parkinson's disease, 539

Partial agonist — The effect of pertussis toxin on α_1-adrenoceptor-mediated vasoconstriction by the full agonist, cirazoline, and the partial agonist, (-)-dobutamine, in pithed rats, 11

Perindopril — A double-blind comparison of perindopril and hydrochlorothiazide-amiloride in mild to moderate essential hypertension, 185

Peripheral circulation — The L-arginine – nitric oxide pathway in the canine femoral vascular bed: *in vitro* and *in vivo* experiments, 777

Peripheral vasomotricity — Compared peripheral vascular responses to intravenous and intra-arterial administrations of positive inotropic agents in conscious dogs, 709

Pertinent information — Do prescribers know the results of key clinical trials? 265

Pertussis toxin — The effect of pertussis toxin on α_1-adrenoceptor-mediated vasoconstriction by the full agonist, cirazoline, and the partial agonist, (-)-dobutamine, in pithed rats, 11

Pharmacodynamics — A comparative pharmacokinetic and pharmacodynamic study of conventional and sustained-release preparations of acebutolol in healthy volunteers, 601 — Combination of long-acting furosemide and instant-acting amiloride: pharmacokinetics and pharmacodynamics in human subjects, 741

Pharmacogenetics — Clinical consequences of polymorphic drug oxidation, 209

Pharmacokinetics — Effect of ponsinomycin on the pharmacokinetics of dihydroergotamine administered orally, 47 — Pharmacokinetics of norfloxacin in the elderly, 203 — Effects of administration route on valproate pharmacokinetics in the rabbit, 331 — Lack of evidence of ketoprofen kinetic changes during the oestrous cycle in rats, 347 — Pharmacokinetics of molsidomine and of its active metabolite, SIN-1 (or linsidomine), in the elderly, 549 — Pharmacokinetics of methohexital during cardiovascular surgery with cardiopulmonary bypass, 595 — Kinetics of allopurinol and its metabolite oxypurinol after oral administration of allopurinol alone or associated with benzbromarone in man. Simultaneous assay of hypoxanthine and xanthine by gas chromatography-mass spectrometry, 621 — Combination of long-acting furosemide and instant-acting amiloride : pharmacokinetics and pharmacodynamics in human subjects, 741 — Pharmacokinetics and ascitic fluid penetration of piperacillin in cirrhosis, 789

Phenobarbital — Effect of a short term oral treatment by phenobarbital propranolol and amiodarone in rat on serum levels of fluorescent lipid-peroxidation products, 139 — *In vivo* effects of macrolides on thyroid hormone serum levels and on hepatic type 1,5'-deiodinase in rat. A comparative study with amiodarone, phenobarbital and propranolol, 583

Piperacillin — Pharmacokinetics and ascitic fluid penetration of piperacillin in cirrhosis, 789

Piroxicam — Determination of free concentration of piroxicam and naproxen in plasma. The influence of experimental conditions in equilibrium dialysis, 275

Pithed rats — The effect of pertussis toxin on α_1-adrenoceptor-mediated vasoconstriction by the full agonist, cirazoline, and the partial agonist, (-)-dobutamine, in pithed rats, 11 — Studies on the mechanism of arterial vasodilatation produced by the novel antihypertensive agent, carvedilol, 25

Plasma glucose and lactate — Changes in plasma glucose and lactate evoked by α and β_2-adrenoceptor stimulation in conscious fasted rabbits, 663

Plasma noradrenaline — Absence of arterial hypertension despite chronic plasma noradrenaline elevation: evidence for down-regulation of α-adrenoceptors. A case report, 291

Platelets — Absence of arterial hypertension despite chronic plasma noradrenaline elevation: evidence for down-regulation of α-adrenoceptors. A case report, 291

Ponsinomycin — Effect of ponsinomycin on the pharmacokinetics of dihydroergotamine administered orally, 47

Population pharmacokinetics — Steady-state population pharmacokinetics of sustained release theophylline in adult asthmatic patients, 611

Positive inotropic agents — Compared peripheral vascular responses to intravenous and intra-arterial administrations of positive inotropic agents in conscious dogs, 709

Positron emission tomography (PET) — Positron emission tomography studies of brain receptors, 61

Prescription survey — Do prescribers know the results of key clinical trials? 265

Propranolol — Effect of a short term oral treatment by phenobarbital propranolol and amiodarone in rat on serum levels of fluorescent lipid-peroxidation products, 139 — Clonidine but not propranolol decreases plasma neuropeptide Y (NPY) levels, 473 — *In vivo* effects of macrolides on thyroid hormone serum levels and on hepatic type 1,5'-deiodinase in rat. A comparative study with amiodarone, phenobarbital and propranolol, 583

Psychomotor performance — Comparative effects on psychomotor performance of the muscle relaxant afloqualone, alone and with ethanol, 797

R

Rabbit — Effects of administration route on valproate pharmacokinetics in the rabbit, 331

Radioimmunoassay — Monoclonal antibody fluorescent polarisation immunoassay *versus* ^{125}Iode labelled ligand radioimmunoassay for the measurement of cyclosporine concentrations in whole blood, 557

Rat — Effects of calcium channel agonist and antagonists on calcium-dependent events in CA1 hippocampal neurons, 299 — The uterotonic action of the aqueous extract of *Bridelia atroviridis* in the rat, 319 — Lack of evidence of ketoprofen kinetic changes during the oestrous cycle in rats, 347 — Amiodarone: influence of the route of administration on thyroid status and cardiac β-adrenoceptors in the rat, 491 — Regional hemodynamic effects of rilmenidine and clonidine in the conscious spontaneously hypertensive rat, 651 — Possible involvement of dopamine D-1 and D-2 receptors in diazepam-induced hyperphagia in rats, 677 — Influence of sex and oestrogen replacement on the disposition of dexamethasone in rats, 733

Rat aorta — Effects of taurine on rat aorta *in vitro*, 245

Rat cerebral cortex — The binding site for [^{3}H]glibenclamide in the rat cerebral cortex does not recognize K-channel agonists or antagonists other than sulphonylureas, 107

Rat portal vein — Effects of (±) dobutamine and its (+) and (–) enantiomers in the isolated rat portal vein, 237

Regional hemodynamics — Regional hemodynamic effects of rilmenidine and clonidine in the conscious spontaneously hypertensive rat, 651

Regional myocardial blood flow — Alpha-adrenoceptor subtypes and regional myocardial blood flow distribution during coronary occlusion in dogs, 117

Reverse coronary steal — Alpha-adrenoceptor subtypes and regional myocardial blood flow distribution during coronary occlusion in dogs, 117

S

Salbutamol — Flerobuterol : a potential antidepressant drug related to β-adrenergic agonists. Experimental profile in mice, 695

Salicylic acid — Salicylic acid disposition in children with rheumatoid arthritis, 285

Salicyluric acid — Salicylic acid disposition in children with rheumatoid arthritis, 285

Serotonin — Effect of L-dopa loading on 5-HTP

decarboxylation in rat brain areas, 497

Serum theophylline — Nifedipine alters serum theophylline levels in asthmatic patients with hypertension, 341

Sex — Influence of sex and oestrogen replacement on the disposition of dexamethasone in rats, 733

SIN-1 — The L-arginine – nitric oxide pathway in the canine femoral vascular bed: *in vitro* and *in vivo* experiments, 777

Sinoaortic denervation — Clonidine but not propranolol decreases plasma neuropeptide Y (NPY) levels, 473

Slice — Effects of calcium channel agonist and antagonists on calcium-dependent events in CA1 hippocampal neurons, 299

Spontaneously hypertensive rats — Studies on the mechanism of arterial vasodilatation produced by the novel antihypertensive agent, carvedilol, 25 — Central $5HT_{1A}$-receptor binding in normotensive and spontaneously hypertensive rats, 259

Steady-state Michaelis-Menten elimination — Steady-state population pharmacokinetics of sustained release theophylline in adult asthmatic patients, 611

Steroid hormones — Effects of troleandomycin and josamycin on thyroid hormone and steroid serum levels, liver function tests and microsomal monooxygenases in healthy volunteers: a double blind placebo-controlled study, 513

Substained-release theophylline — Steady-state population pharmacokinetics of sustained release theophylline in adult asthmatic patients, 611

Substance P — Tachykinins in the rat substantia nigra: effects of selective dopamine receptor antagonists, 129

Substantia nigra — Tachykinins in the rat substantia nigra: effects of selective dopamine receptor antagonists, 129 — Lesioning the substantia nigra reduces striatal infarct volume following focal ischemia in rats, 645

Sulphonylurea — The binding site for [^{3}H]glibenclamide in the rat cerebral cortex does not recognize K-channel agonists or antagonists other than sulphonylureas, 107

Sustained release pharmacokinetics — A comparative pharmacokinetic and pharmacodynamic study of conventional and sustained-release preparations of acebutolol in healthy volunteers, 601

Sympathetic nervous system — Clonidine but not propranolol decreases plasma neuropeptide Y (NPY) levels, 473

Symposium — Symposium : Pharmacology of airways. Role of the $GABA_A$ receptors in the mechanism of action of anxiolytics and hypnotics (abstracts), 356

T

Taurine — Effects of taurine on rat aorta *in vitro*, 245

THIP — Tolerance pattern to GABAmimetic analgesics and their influence on morphine tolerance and dependence, 769

Thyroid hormones — Amiodarone: influence of the route of administration on thyroid status and cardiac β-adrenoceptors in the rat, 491 — Effects of troleandomycin and josamycin on thyroid hormone and steroid serum levels, liver function tests and microsomal monooxygenases in healthy volunteers: a double blind placebo-controlled study, 513 — *In vivo* effects of macrolides on thyroid hormone serum levels and on hepatic type 1,5'-deiodinase in rat. A comparative study with amiodarone, phenobarbital and propranolol, 583

Tolerance — Tolerance pattern to GABA-mimetic analgesics and their influence on morphine tolerance and dependence, 769

U

Uterotonic effect — The uterotonic action of the aqueous extract of *Bridelia atroviridis* in the rat, 319

V

Valproate — Effects of administration route on valproate pharmacokinetics in the rabbit, 331

Vascular tone — Effects of taurine on rat aorta *in vitro*, 245

Ventricular fibrillation — Protection against ischaemic ventricular fibrillation by

blocking agents of myocardial cell calcium influx. Electrophysiological study in the pig *in situ* heart, 641

Verapamil — Effects of calcium channel agonist and antagonists on calcium-dependent events in CA1 hippocampal neurons, 299

W

Whole blood — Monoclonal antibody fluorescent polarisation immunoassay *versus* ^{125}Iode labelled ligand radioimmunoassay for the measurement of cyclosporine concentrations in whole blood, 557

Wistar Kyoto rats — Central $5HT_{1A}$-receptor binding in normotensive and spontaneously hypertensive rats, 259

X — Z

Xanthine — Kinetics of allopurinol and its metabolite oxypurinol after oral administration of allopurinol alone or associated with benzbromarone in man. Simultaneous assay of hypoxanthine and xanthine by gas chromatography-mass spectrometry, 621

Zolpidem — Influence of diazepam, alpidem, zolpidem and zopiclone, on the response to adenosine of the guinea pig isolated trachea, 1

Zopiclone — Influence of diazepam, alpidem, zolpidem and zopiclone, on the response to adenosine of the guinea pig isolated trachea, 1